

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal62lcon

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 DEC 01 ChemPort single article sales feature unavailable
NEWS 3 JUN 01 CAS REGISTRY Source of Registration (SR) searching
enhanced on STN
NEWS 4 JUN 26 NUTRACEUT and PHARMAML no longer updated
NEWS 5 JUN 29 IMSCOPROFILE now reloaded monthly
NEWS 6 JUN 29 EPFULL adds Simultaneous Left and Right Truncation
(SLART) to AB, MCLM, and TI fields
NEWS 7 JUL 09 PATDPAFULL adds Simultaneous Left and Right
Truncation (SLART) to AB, CLM, MCLM, and TI fields
NEWS 8 JUL 14 USGENE enhances coverage of patent sequence location
(PSL) data
NEWS 9 JUL 27 CA/CAPLUS enhanced with new citing references
NEWS 10 JUL 16 GBFULL adds patent backfile data to 1855
NEWS 11 JUL 21 USGENE adds bibliographic and sequence information
NEWS 12 JUL 28 EPFULL adds first-page images and applicant-cited
references
NEWS 13 JUL 28 INPADOCDB and INPAFAMDB add Russian legal status data
NEWS 14 AUG 08 Improve STN by completing a survey and be entered to
win a gift card
NEWS 15 AUG 10 Time limit for inactive STN sessions doubles to 40
minutes
NEWS 16 AUG 17 CAS REGISTRY, the Global Standard for Chemical
Research, Approaches 50 Millionth Registration
Milestone
NEWS 17 AUG 18 COMPENDEX indexing changed for the Corporate Source
(CS) field

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial

gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

*
* Please take a couple of minutes to complete our short survey. Your
* name will be entered to win one of five \$20 Amazon.com gift cards. *
*
* See NEWS 14 for details or go directly to the survey at: *
* <http://www.zoomerang.com/Survey/?p=WEB229H4S8Q5UL> *
*

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:54:28 ON 19 AUG 2009

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.88	0.88

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 13:56:59 ON 19 AUG 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Aug 2009 VOL 151 ISS 8
FILE LAST UPDATED: 18 Aug 2009 (20090818/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/Caplus family of databases have been updated to include new citing references

information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 9.

=> s us20050020857/pn
L1 1 US20050020857/PN

=> sel rn
E1 THROUGH E74 ASSIGNED

=> file reg	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	2.84	3.72

FILE 'REGISTRY' ENTERED AT 13:57:43 ON 19 AUG 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 18 AUG 2009 HIGHEST RN 1174627-49-6
DICTIONARY FILE UPDATES: 18 AUG 2009 HIGHEST RN 1174627-49-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s e1-e74
1 100-51-6/BI
 (100-51-6/RN)
1 100-71-0/BI
 (100-71-0/RN)
1 102-82-9/BI
 (102-82-9/RN)
1 105-46-4/BI
 (105-46-4/RN)
1 106-98-9/BI
 (106-98-9/RN)
1 107-01-7/BI
 (107-01-7/RN)
1 1079-66-9/BI
 (1079-66-9/RN)
1 109-06-8/BI



(109-06-8/RN)
1 110-19-0/BI
(110-19-0/RN)
1 110-62-3/BI
(110-62-3/RN)
1 112-67-4/BI
(112-67-4/RN)
1 121-44-8/BI
(121-44-8/RN)
1 122-52-1/BI
(122-52-1/RN)
1 123-54-6/BI
(123-54-6/RN)
1 123-75-1/BI
(123-75-1/RN)
1 123-86-4/BI
(123-86-4/RN)
1 13257-81-3/BI
(13257-81-3/RN)
1 136-60-7/BI
(136-60-7/RN)
1 14642-79-6/BI
(14642-79-6/RN)
1 14874-82-9/BI
(14874-82-9/RN)
1 1521-51-3/BI
(1521-51-3/RN)
1 1638-86-4/BI
(1638-86-4/RN)
1 18246-63-4/BI
(18246-63-4/RN)
1 1825-65-6/BI
(1825-65-6/RN)
1 1825-66-7/BI
(1825-66-7/RN)
1 188667-38-1/BI
(188667-38-1/RN)
1 205490-65-9/BI
(205490-65-9/RN)
1 220472-84-4/BI
(220472-84-4/RN)
1 22277-50-5/BI
(22277-50-5/RN)
1 26567-10-2/BI
(26567-10-2/RN)
1 3001-72-7/BI
(3001-72-7/RN)
1 35487-17-3/BI
(35487-17-3/RN)
1 4030-18-6/BI
(4030-18-6/RN)
1 4316-42-1/BI
(4316-42-1/RN)
1 462-06-6/BI
(462-06-6/RN)
1 472986-82-6/BI

(472986-82-6/RN)
1 472986-87-1/BI
(472986-87-1/RN)
1 509083-87-8/BI
(509083-87-8/RN)
1 509095-18-5/BI
(509095-18-5/RN)
1 512172-95-1/BI
(512172-95-1/RN)
1 528597-72-0/BI
(528597-72-0/RN)
1 556-82-1/BI
(556-82-1/RN)
1 571170-97-3/BI
(571170-97-3/RN)
1 571170-98-4/BI
(571170-98-4/RN)
1 571170-99-5/BI
(571170-99-5/RN)
1 571171-00-1/BI
(571171-00-1/RN)
1 571171-01-2/BI
(571171-01-2/RN)
1 571171-02-3/BI
(571171-02-3/RN)
1 571171-03-4/BI
(571171-03-4/RN)
1 571171-04-5/BI
(571171-04-5/RN)
1 590-86-3/BI
(590-86-3/RN)
1 592-57-4/BI
(592-57-4/RN)
1 616-47-7/BI
(616-47-7/RN)
1 64-17-5/BI
(64-17-5/RN)
1 644-97-3/BI
(644-97-3/RN)
1 6703-22-6/BI
(6703-22-6/RN)
1 68-26-8/BI
(68-26-8/RN)
1 71-36-3/BI
(71-36-3/RN)
1 719-80-2/BI
(719-80-2/RN)
1 72102-69-3/BI
(72102-69-3/RN)
1 75-84-3/BI
(75-84-3/RN)
1 760-67-8/BI
(760-67-8/RN)
1 7719-12-2/BI
(7719-12-2/RN)
1 78-10-4/BI

(78-10-4/RN)
 1 78-83-1/BI
 (78-83-1/RN)
 1 78-92-2/BI
 (78-92-2/RN)
 1 78405-71-7/BI
 (78405-71-7/RN)
 1 83-34-1/BI
 (83-34-1/RN)
 1 86178-32-7/BI
 (86178-32-7/RN)
 1 88-18-6/BI
 (88-18-6/RN)
 1 90-43-7/BI
 (90-43-7/RN)
 1 91993-35-0/BI
 (91993-35-0/RN)
 1 926-41-0/BI
 (926-41-0/RN)
 1 931-40-8/BI
 (931-40-8/RN)
 L2 74 (100-51-6/BI OR 100-71-0/BI OR 102-82-9/BI OR 105-46-4/BI OR
 106-98-9/BI OR 107-01-7/BI OR 1079-66-9/BI OR 109-06-8/BI OR
 110-19-0/BI OR 110-62-3/BI OR 112-67-4/BI OR 121-44-8/BI OR 122-
 52-1/BI OR 123-54-6/BI OR 123-75-1/BI OR 123-86-4/BI OR 13257-81
 -3/BI OR 136-60-7/BI OR 14642-79-6/BI OR 14874-82-9/BI OR 1521-5
 1-3/BI OR 1638-86-4/BI OR 18246-63-4/BI OR 1825-65-6/BI OR 1825-
 66-7/BI OR 188667-38-1/BI OR 205490-65-9/BI OR 220472-84-4/BI
 OR 22277-50-5/BI OR 26567-10-2/BI OR 3001-72-7/BI OR 35487-17-3/
 BI OR 4030-18-6/BI OR 4316-42-1/BI OR 462-06-6/BI OR 472986-82-6
 /BI OR 472986-87-1/BI OR 509083-87-8/BI OR 509095-18-5/BI OR
 512172-95-1/BI OR 528597-72-0/BI OR 556-82-1/BI OR 571170-97-3/B
 I OR 571170-98-4/BI OR 571170-99-5/BI OR 571171-00-1/BI OR 57117
 1-01-2/BI OR 571171-02-3/BI OR 571171-03-4/BI OR 571171-04-5/BI
 OR 590-86-3/BI OR 592-57-4/BI OR 616-47-7/BI OR 64-17-5/BI OR
 644-97-3/BI OR 6703-22-6/BI OR 68-26-8/BI OR 71-36-3/BI OR 719-8
 0-2/BI OR 72102-69-3/BI OR 75-84-3/BI OR 7

=> d scan

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonous acid, phenyl-, 3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-diyl
 bis[2-(1,1-dimethylethyl)-6-methylphenyl] ester (9CI)
 MF C50 H56 O4 P2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):74

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonous acid, P-(4-fluorophenyl)-,
 P,P'-(3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-diyl)
 P,P'-bis[2-(1,1-dimethylethyl)phenyl] ester
 MF C48 H50 F2 O4 P2

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphorous acid, P,P'-(3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-diyl)
 P,P,P',P'-tetrakis(2-methylphenyl) ester
 MF C44 H44 O6 P2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Hexadecanoic acid, 3-methyl-2-buten-1-yl ester

MF C21 H40 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Silane, (2,2-dimethylpropoxy)trimethyl-
 MF C8 H20 O Si



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1-Pentanamine, N,N-dibutyl-
 MF C13 H29 N
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Silane, butoxytrimethyl-
 MF C7 H18 O Si
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1-Propanol, 2,2-dimethyl-, 1-acetate

MF C7 H14 O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Cyclohexadiene
MF C6 H8
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Acetic acid, butyl ester
MF C6 H12 O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Hexadecanoyl chloride
MF C16 H31 Cl O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Butene
MF C4 H8
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN [1,1'-Biphenyl]-2-ol
MF C12 H10 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Silicic acid (H4SiO4), tetraethyl ester
MF C8 H20 O4 Si
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphinous chloride, bis(3-methyl-1H-indol-1-yl)- (9CI)
MF C18 H16 Cl N2 P




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonochloridous acid, phenyl-, 2-(1,1-dimethylethyl)-6-methylphenyl
 ester (9CI)
 MF C17 H20 Cl O P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphinous acid, diphenyl-, 3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-
 diyl ester (9CI)
 MF C40 H36 O2 P2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1H-Imidazole, 1-methyl-, acetate (1:1)
 MF C4 H6 N2 . C2 H4 O2
 CM 1



CM 2




L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonochloridous acid, P-phenyl-, 2,4-bis(1,1-dimethylethyl)phenyl
 ester
 MF C20 H26 Cl O P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Rhodium, dicarbonyl(2,4-pentanedionato-κO2,κO4)-, (SP-4-2)-
 MF C7 H7 O4 Rh
 CI CCS, COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1H-Imidazole, 1-butyl-
 MF C7 H12 N2
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonous acid, P-phenyl-, diethyl ester
 MF C10 H15 O2 P
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Hexanoyl chloride, 2-ethyl-
 MF C8 H15 Cl O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Butanal, 3-methyl-
MF C5 H10 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Pyrrolidine
MF C4 H9 N
CI COM, RPS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Pentanal
MF C5 H10 O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN Acetic acid, 1-methylpropyl ester
MF C6 H12 O2
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phenol, 2-(1,1-dimethylethyl)-
MF C10 H14 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Propanol, 2,2-dimethyl-
MF C5 H12 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphonous acid, phenyl-, 3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-diyl
bis[2,4-bis(1,1-dimethylethyl)phenyl] ester (9CI)
MF C56 H68 O4 P2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonochloridous acid, (4-fluorophenyl)-, 2-(1,1-dimethylethyl)phenyl
 ester (9CI)
 MF C16 H17 Cl F O P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonous acid, P-phenyl-, P,P'-(3,3',5,5'-tetramethyl[1,1'-biphenyl]-
 2,2'-diyl) P,P'-bis[2-(1,1-dimethylethyl)phenyl] ester
 MF C48 H52 O4 P2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Cyclohexene, 1-[3,7-dimethyl-9-[(3-methyl-2-butenyl)oxy]-1,3,5,7-nonatetraenyl]-2,6,6-trimethyl-, (all-E)- (9CI)
 MF C25 H38 O

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 1H-Imidazole, 1-methyl-, hydrochloride (1:1)
 MF C4 H6 N2 . Cl H



● HCl

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzene, [(trimethylsilyl)oxymethyl]-
MF C10 H16 O Si



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanone, 1-(1-pyrrolidinyl)-
MF C6 H11 N O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Cyclohexene, 3-bromo-
MF C6 H9 Br




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphinous acid, P,P-diphenyl-, ethyl ester
MF C14 H15 O P
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Buten-1-ol, 3-methyl-
MF C5 H10 O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2,4-Pentanedione
MF C5 H8 O2
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Acetic acid, 2-methylpropyl ester
MF C6 H12 O2
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Butanamine, N,N-dibutyl-
MF C12 H27 N
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Indole, 3-methyl-
MF C9 H9 N
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Butanol
MF C4 H10 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphonic acid, phenyl-, 3,3',5,5'-tetramethyl[1,1'-biphenyl]-2,2'-diyl
bis[2,4-bis(1,1-dimethylpropyl)phenyl] ester (9CI)
MF C60 H76 O4 P2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonochloridous acid, P-phenyl-, 2-(1,1-dimethylethyl)phenyl ester
 MF C16 H18 Cl O P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN 9H-Xanthene-4,5-diol, 2,7-bis(1,1-dimethylethyl)-9,9-dimethyl-
 MF C23 H30 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphonous dichloride, (fluorophenyl)- (9CI)
MF C6 H4 Cl2 F P
CI IDS



D1-F




L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN [1,1'-Biphenyl]-2,2'-diol, 3,3',5,5'-tetramethyl-
MF C16 H18 O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 3-Penten-2-one, 4-[(trimethylsilyl)oxy]-
MF C8 H16 O2 Si



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Pyrrolo[1,2-a]pyrimidine, 2,3,4,6,7,8-hexahydro-
 MF C7 H12 N2
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphinous chloride, P,P-diphenyl-
 MF Cl2 H10 Cl P
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphonous dichloride, P-phenyl-
 MF Cl2 H5 Cl2 P
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN Benzene, fluoro-
MF C6 H5 F
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphorous acid, triethyl ester
MF C6 H15 O3 P
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Pyridine, 2-methyl-
MF C6 H7 N
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Pyridine, 2-ethyl-
MF C7 H9 N
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Butanol
MF C4 H10 O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Retinol
ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT
MF C20 H30 O
CI COM

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphonochloridous acid, phenyl-, 2,4-bis(1,1-dimethylpropyl)phenyl ester
(9CI)
MF C22 H30 Cl O P




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphinous acid, P-phenyl-, P,P'-[1,1'-biphenyl]-2,2'-diyl
 P,P'-bis[2-(1,1-dimethylethyl)phenyl] ester
 MF C44 H44 O4 P2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphinous acid, bis(3-methyl-1H-indol-1-yl)-,
 2,7-bis(1,1-dimethylethyl)-9,9-dimethyl-9H-xanthene-4,5-diyl ester (9CI)
 MF C59 H60 N4 O3 P2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Hexanoic acid, 2-ethyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester
 MF C12 H20 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
 IN Phosphorochloridous acid, bis(2-methylphenyl) ester
 MF C14 H14 Cl O2 P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Phosphorous trichloride
MF Cl3 P
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Silane, trimethyl(1-methylpropoxy)-
MF C7 H18 O Si



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Dioxolan-2-one, 4-(hydroxymethyl)-
MF C4 H6 O4
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Imidazole, 1-methyl-
MF C4 H6 N2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzoic acid, butyl ester
MF C11 H14 O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanamine, N,N-diethyl-
MF C6 H15 N
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Butene
MF C4 H8
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenemethanol
MF C7 H8 O
CI COM

$\text{HO}-\text{CH}_2-\text{Ph}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Propanol, 2-methyl-
MF C4 H10 O
CI COM

$$\begin{array}{c} \text{CH}_3 \\ | \\ \text{H}_3\text{C}-\text{CH}-\text{CH}_2-\text{OH} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 74 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanol
MF C2 H6 O
CI COM

$\text{H}_3\text{C}-\text{CH}_2-\text{OH}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED